

rubito
tiles

REFLECTIONS
OF MODERN ELEGANCE



SURFACE STORIES IN
600X1200MM

GLINT
COLLECTION

BEAUTY IN

EVERY REFLECTION.



A tribute to the art of reflection — where light and design meet in perfect harmony. Each tile in this series embodies the essence of modern refinement, featuring a flawless glossy surface that enhances the depth, dimension, and character of every space it graces.

rubito
tiles



एक ही देश
एक ही **TILES**
rubito
tiles

We're dedicated to crafting spaces that inspire, where style meets substance, and every detail is carefully considered. We're passionate about delivering exceptional quality and service, and we're committed to exceeding your expectations. Where style meets substance, we build homes that inspire. Elegance is not just a word, it's a promise.

WHERE ELEGANCE REFLECTS IN EVERY SURFACE.

GLINT
COLLECTION

rubito
tiles

The Glint Collection is a tribute to the art of reflection, where light and design meet in perfect harmony. Each tile in this series embodies the essence of modern refinement, featuring a flawless glossy surface that enhances the depth, dimension, and character of every space it graces. The collection captures the delicate balance between simplicity and luxury, turning minimal design into an expression of sophistication.

Engineered with precision and crafted through advanced glazing technology, these tiles redefine how light interacts with interiors creating soft, radiant highlights that bring walls and floors to life. Whether used in residential sanctuaries or elegant commercial spaces, the Glint Collection transforms the ordinary into something quietly extraordinary. It is not just about shine, but about the subtle play of brilliance that reflects your taste, your style, and your vision for timeless design.



THE ESSENCE OF
GLOSS PERFECTION



rubito
tiles



WHERE **DIMENSIONS** SHAPE **DESIGN.**

The Glint Collection is available in the versatile size of 600x1200mm, thoughtfully designed to complement both compact and expansive spaces. Its elongated proportion not only enhances the visual flow but also creates a sense of openness and continuity across surfaces.

This large-format tile reduces grout lines, offering a cleaner, more seamless appearance that elevates the aesthetic of any environment. Whether used for floors or walls, in homes or commercial settings.

The 600x1200mm dimension adapts effortlessly to diverse design needs, delivering a balanced blend of functionality and modern sophistication.



TILE
DIMENSION
**600x
1200mm**

GLINT
COLLECTION

FEATURES THAT DEFINE EXCELLENCE

 CHEMICAL RESISTANCE	 SCRATCH RESISTANCE
 STAIN RESISTANCE	 FROST RESISTANT
 WATER RESISTANCE	 HEAT RESISTANCE

The 600x1200mm Glazed Porcelain Tiles offer lasting durability, low water absorption, and a smooth glossy finish. Resistant to stains and scratches, they ensure easy maintenance and a seamless, modern look for both walls and floors.



RESIDENTIAL
SPACE



SHOPING
MALL



CORPORATE
SPACE



RESTRO &
CAFE



HOSPITAL &
CLINIC




rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

BRECIA





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

CLASSIC DYNA

600x
1200mm

Glossy
Finish

5
Random






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

CRACKLE ONYX






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

CREEMA WILLIAM CLASSIC





CREEMA WILLIAM CLASSIC



TAP FOR
360 VIEW



rubito
tiles

GLINT
COLLECTION

DESIGN NAME :
CUBAN WHITE

600x
1200mm

Glossy
Finish

3
Random



CUBAN WHITE HL



CUBAN WHITE



TAP FOR
360 VIEW



rubito
tiles

GLINT
COLLECTION

DESIGN NAME :


DYNA CREMA

600x
1200mm

Glossy
Finish

4
Random





DYNA CREMA



TAP FOR
360 VIEW



rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

EMERALD IVORY

600x
1200mm

Glossy
Finish

4
Random





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

EMERALD WHITE

600x
1200mm

Glossy
Finish

4
Random





rubito
tiles

GLINT
COLLECTION


DESIGN NAME :

EXOTIC BLUE

600x
1200mm

Glossy
Finish

4
Random





EXOTIC BLUE



TAP FOR
360 VIEW





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

EXOTIC LIGHT






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

EXOTIC NATURAL





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

LIGHT WILLIAM CLASSIC

600x
1200mm

Glossy
Finish

4
Random






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

GREY WILLIAM CLASSIC





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

MARMI CREMA

600x
1200mm

Glossy
Finish

4
Random





rubito
tiles

GLINT
COLLECTION



DESIGN NAME :


MARQUINA BIANCO

600x
1200mm

Glossy
Finish

4
Random





MARQUINA BIANCO



TAP FOR
360 VIEW




rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

MARQUINA BLUE





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

MARQUINA NATURAL

600x
1200mm

Glossy
Finish

4
Random






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

MARVEL BEIGE





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

ONYX HAWAI BIANCO

600x
1200mm

Glossy
Finish

4
Random





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

ONYX HAWAI IVORY

600x
1200mm

Glossy
Finish

4
Random





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :
ONYX WHITE

600x
1200mm

Glossy
Finish

4
Random





ONYX WHITE



TAP FOR
360 VIEW




rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

REGAL TRAVERTINO






rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

SIENA TRAVIZ GREY





rubito
tiles

GLINT
COLLECTION

DESIGN NAME :

SIENA TRAVIZ IVORY

600x
1200mm

Glossy
Finish


4
Random





DESIGN NAME :

TRAVENTINO CLASSICO



TECHNICAL SPECIFICATION			
CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/P osh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/c c	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & P osh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm³	Max. 132mm³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF -WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, P osh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS				
PRODUCT	SIZE	TILES / BOX	COVER AREA / BOX	WEIGHT
GVT-PGVT	600X 1200mm	2 pcs	1.44 sq. mtr	26.5 KG (APPROX)



rubito
tiles